PAClinicalNetwork
AT THE PENNSYLVANIA MEDICAL SOCIETY

STATIN THERAPY FOR PATIENTS WITH CARDIOVASCULAR DISEASE (SPC)

Males 21-75 years old and females 40-75 years old during the measurement year who were identified as having a clinical atherosclerotic cardiovascular disease (ASCVD) who meet the 2 subsets
Product Line: Medicare, Medicaid, Commercial

Subsets:

- Received Statin Therapy:
  - Patient was dispensed at least one high-intensity or moderate-intensity statin medication during the measurement year
- Statin Adherence 80%:
  - Patients who remained on a high-intensity or moderate-intensity statin medication for at least 80% of the treatment period

Exclusions:

- Patients 66 years of age or older who were enrolled in an Institutional SNF any time during the measurement year
- Patients age 66 and older living long-term in an institution any time during the measurement year
- Patients 66 years of age and older with frailty and advanced illness during the measurement year, must meet the following criteria:
  - At least 2 outpatient visits, observation visits, ED visits, or nonacute inpatient encounters on different service dates with an advanced illness diagnosis (visit type need no be the same for the 2 visits)
  - At least 1 acute inpatient encounter with an advanced illness diagnosis
  - Dispensed dementia medication (Donepezil, Galantamine, Rivastigmine, Memantine
- Patients in hospice during measurement year

PAClinicalNetwork
AT THE PENNSYLVANIA MEDICAL SOCIETY

Statin Medications:

High-Intensity Statin	Atorvastatin 40-80 mg	Rosuvastatin 20-40 mg
	Amlodipine-Atorvastatin 40-80 mg	Simvastatin 80 mg
	Ezetimibe-Atorvastatin 40-80 mg	Ezetimibe-Simvastatin 80 mg
Moderate-Intensity Statin	Atorvastatin 10-20 mg	Sitagliptin-Simvastatin 20-40 mg
	Amlodipine-Atorvastatin 10-20 mg	Pravastatin 40-80 mg
	Ezetimibe-Atorvastatin 10-20 mg	Lovastatin 40 mg
	Rosuvastatin 5-10 mg	Niacin-Lovastatin 40 mg
	Simvastatin 20-40 mg	Fluvastatin XL 40 mg bid
	Ezetimibe-simvastatin 20-40 mg	Fluvastatin 40 mg bid
	Niacin-Simvastatin 20-40 mg	Pitavastatin 2-4 mg